

N-sided Surfaces: a Survey

Pierre Malraison

Abstract. The paper surveys techniques for filling in n -sided regions, where $n > 4$. The two major classes of methods examined are:

- 1) to create a single surface or
- 2) to fill in the hole with 4 and/or 3 sided patches.

The single surface approaches are either rational surfaces (which can be expressed in terms of base points) or non-rational, both cases having a number of variants. The multi-patch approaches differ in terms of the degree of the patches and the cross-patch continuity. This paper overlaps with Malraison[38], but adds new references and provides more details. Recent work presented in this mini-symposium will provide a common framework for both the rational and non-rational single surface approaches ([28]), a method for dealing with holes in a surface([30]) and a hierarchical approach to the multiple patch solution.([51])

§1. Introduction

The problem being considered is:

Given $C_i, i = 1, \dots, n$ n curves whose endpoints match, i.e (if we say $C_0 = C_n$) the end of C_{i-1} is the start of C_i , fill in the hole bounded by the C_i , possibly satisfying some additional boundary conditions. For example, in blending the C_i are the edges of faces and the filling surface or surfaces must be smooth across the edges.

I will be looking at the case $n > 4$. The problem with no boundary conditions arises in the *cover* command in the ACIS [1] software libraries. ACIS also supports vertex blends using Charrot[6].

This paper extends the survey Malraison[38]. Other surveys are:

Nasri[40], Cavaretta[4], Sederberg[57] and Dyn[9] for general overviews of subdivision, Dyn[10] for a review of John Gregory's contributions to the field, Varady[65] is a review of n -sided patches, Gregory[13] and Gregory[16] are surveys on n -sided patches by Gregory and others, Varady[60] specific to vertex blends and Vida[66] discusses blends in general with a section on n -sided issues.

Saint-Malo Proceedings

XXX, XXX, and Larry L. Schumaker (eds.), pp. 1-9.

Copyright © 2000 by Vanderbilt University Press, Nashville, TN.

ISBN 1-xxxxx-xxx-x.

All rights of reproduction in any form reserved.

1

§2. Subdivision

Subdivision is a much broader topic than I can cover here. The basic process is to generate a surface by starting with a polygonal approximation P_0 and having a process which from P_i creates P_{i+1} . The n-sided problem arises in this context when the individual polygons formed by the subdivision process are not 4-sided. Hermann[21] and Ball[2] use subdivision to explicitly fill in n-sided holes, while Wang([69],[68]) uses a single patch method (Varady([65],[64])) to fill in an n-sided hole arising in the course of subdivision. Levin([31],[32]) applies a *combined* subdivision scheme to solve the n-sided problem with cross-tangency constraints. Nasri([41], [42], [43], [44]) uses subdivision to provide both a source of and solution for n-sided problems.

§3. Multiple Patches

One solution to the problem is to take the n-sided region and subdivide it once into triangular or 4-sided regions, and then fill those with standard surface types. The main difficulty with this approach is ensuring the internal smoothness of the resulting network of patches. Peters[45] discusses the problems for doing a C^K join, Varady[62] looks at curvature matching, and Hall([20],[19]) looks at the situation when the pieces are Gregory patches.

Some of the other approaches are summarized in the following table:

Boundary	Degree	Continuity	Reference
Mesh points	Bicubic	C^1	[47]
Planes	Biquintic	C^1	[72]
Polygon	Cubic	C^1	[8],[3]
Quartic	Bicubic	C^1	[48],[49],[50]
Cubic	Quartic	G^1	[52]
Cubic	Quartic triangular	C^1	[36],[37]
Quintic	Quintic	GC^2	[74]
Quintic	$2k^2 + 3k + 1$	GC^k	[76]
Quintic	Biquintic	GC^2	[17]

Bangert[3], and Peters([48],[50],[50]) are triangle-based spline methods. Peters[51] adds a hierarchical structure which supports interactive modeling.

Some other multi-patch approaches do not fit into the above table.

Sone[58],[59] subdivides an n-sided hole into quadrilaterals and uses Gregory patches.

Hsu[24] uses a blend between two edges to fill in a triangular subset of the n-sided hole, then continues to subdivide the remaining pieces so that the entire hole is filled in with multiple blend surfaces. This approach is different from the usual multiple patch approach as it may require multiple subdivisions to arrive at regions suitable for blending.

Varady([65],[64]) uses multiple patches for setback blends.

§4. Single patches

Filling in an n-sided hole with a single patch is an easier approach in a solid modeling environment since only one face need be constucted. The issue here is unusual (*i.e.*, non-rectangular) parametric domains and internal shape control. Hall[20] discusses the control of Gregory patches([13])

For the case where the surface is rational (*i.e.*, $f(u, v) = \frac{p(u, v)}{q(u, v)}$), Warren[71] shows that several different methods are all variants of rational surfaces with base points ($p(u, v) = q(u, v) = 0$). Since base point are singularities, they may occur either on the boundary of the domain or outside. S-patches go from a polygon thru an n-simplex : $P \xrightarrow{L} \Sigma \xrightarrow{B} R^3$ Those variants are summarized in the following table:

Basepoints	Variant	Reference		
Boundary	2n	[[64]		
	up to 8 sides	[[70]		
	manifold charts	[[12]		
	5,6 sides	[[54]		
	includes holes	[[29],[30]		
External	S-Patches	domain is n-simplex		
		original	[[35],[34]	
		modifies B	[[33]	
	Gregory-like	Polygonal domain	modifies L	[[25],[26]
			pentagon	[[5]
			arbitrary n	[[6]

Gregory[15] starts with a larger problem: interpolating an arbitrary mesh. The solution is to interpolate the "edges" by rational splines to create polygonal curved regions, then extend the splines into strips, and blend the strips into the interior using the same technique as Charrot[5].

The other principal method is to generate a rational surface using a Bezier-like approach by constructing non-rectangular control nets. The boundaries are considered as the edges of Bezier surface patches so higher cross boundary smoothness can be obtained by having the internal control net reflect the adjacent surface control net.

Sabin[53] uses quadratic functions to fill in three-sided and five-sided patches. In Sabin[56] the same technique is applied to a 2-sided patch. Hosaka[23] does the same thing using quadratics and cubics for three-sided, five-sided and six-sided patches. Their solution is described in the general n-sided setting. Zheng[73] extends those two approaches by using higher degrees for higher numbers of sides.

Karčiauskas([27],[28]) and Zube([77],[78]) provide a unifying approach similar to Warren[71] for these rational cases by looking at toric varieties.

§5. Other n-sided things

The following two papers address a problem which arises in a more global setting from a classical result in topology.

Theorem : [39] **If M is a compact connected 2-manifold, M is a 2-sphere with h handles and m cross caps.**

This theorem implies M can be represented by a polygon with edges identified: e.g. a torus is $ABA^{-1}B^{-1}$. Ferguson[11] applies this result to model objects with a single surface. Wallner[67] applies the same idea to *orbifolds*: surfaces defined as images of group actions.

These techniques fall into the scope of this paper insofar as the marked polygon defining the surface is an n-sided object in parameter space.

§6. Conclusions

For single surface patches, Warren[71], Karčiauskas[28] and Zube[78] show that the approaches used so far are variations on two main themes. For multi-patch and subdivision methods no such unifying concept has been presented, although the basic notion of subdivision is arguably the unifying theme of that approach.

Acknowledgments. I would like to thank Malcolm Sabin for inviting me to participate in the minisymposium, and Jorg Peters for suggesting the tabular approach which helped keep this paper within the page limits.

The opinions expressed in this paper are the author's and do not represent the views of Spatial Technology, Inc.

References

I have marked references not in [38] with a (*).

1. ACIS^(r) Test Harness User's Guide
2. A. A. Ball and D. J. T. Storry Design of an n-sided surface patch from Hermite boundary data. *Comput. Aided Geom. Design* Vol 6 1989 111–120(*)
3. C. Bangert and H. Prautzsch Quadric splines *Comput. Aided Geom. Design* Vol 16 1999 497–515 (*)
4. A. S. Cavaretta, and C. A. Michelli The Design of Curves and Surfaces by Subdivision Algorithms in *Mathematical Methods in CAGD* Academic Press 1989 115–193
5. P. Charrot and J. A. Gregory A pentagonal surface patch for computer aided geometric design *Comput. Aided Geom. Design* Vol 1 1984 87–94

6. D. Plowman and P. Charrot A Practical Implementation of Vertex Blend Surfaces using an n-Sided Patch in *Mathematics of Surfaces VI* Clarendon, 1996 67–78
7. M. Daehlen and V. Skytt Modelling Non-rectangular surfaces using Box Splines in *Mathematics of Surfaces III* Clarendon 1989 287–300
8. W. Dahmen Smooth Piecewise quadric surfaces in *Mathematical Methods in CAGD* Academic Press 1989 181–194
9. N. Dyn, J. A. Gregory and D. Levin Piecewise Uniform Subdivision Schemes in *Mathematical Methods for Curves and Surfaces* Vanderbilt University 1995 111–119
10. N. Dyn The Work of John Gregory: Rational Spline Inteprolation, Subdivision Algorithms, and C^2 Polygonal Patches in *Mathematics of Surfaces VI* Clarendon, 1996 21–42
11. H. Ferguson and A. Rockwood Multiperiperidic Functions for suface design Comput. Aided Geom. Design Vol 10 1993 315–328
12. C. G erot, D. Attali, A. Montanvert From Local Approximaiton to a G^1 Global Representation *Proceedings of this conference* (*)
13. J. A. Gregory n-sided surface patches in *Mathematics of Surfaces* Clarendon 1986 217–232
14. J. A. Gregory and J. M. Hahn A C^2 polygonal surface patch Comput. Aided Geom. Design Vol 6 1989 69–75
15. J. A. Gregory and P. K. Yuen An arbitrary mesh network scheme using rational splines in *Mathematical methods in CAGD II* Academic Press 1992 321–329
16. J. A. Gregory, V. K. H. Lau and J. Zhou Smooth Parametric Surfaces and n-sided Patches in *Computation of Curves and Surfaces* Kluwer 1990 457–498
17. J. A. Gregory, J. Zhou Irr- egular C^2 surface con- struction using bi- polynomial rectangular patches Comput. Aided Geom. Design Vol 16 1999 423–435 (*)
18. R. Hall and G. Mullineux The Zheng-Ball construction without twist constraints Comput. Aided Geom. Design Vol 16 1999 165–175 (*)
19. R. Hall and G. Mullineux Continuity between Gregory-like patches Comput. Aided Geom. Design Vol 16 1999 197-216 (*)
20. R. Hall and G. Mullineux Shape Modification of Gregory patches in *Mathematics of Surfaces VII* Information Geometers 1997 383–408
21. T. Hermann and G. Renner Subdivision of n-sided regions into four–sided patches in *Mathematics of Surfaces III* Clarendon 1989 347–357
22. T. Hermann G^2 interpolation of free–form curve networks by biquintic Gregory patches Comput. Aided Geom. Design Vol 13 1995 873–893
23. M. Hosaka and F. Kimura Non-four–sided patch expressions with control points Comput. Aided Geom. Design Vol 1 1984 75–86

24. K. L. Hsu and D. M. Tsay Corner Blending of Free Form n-sided Holes
IEEE CG and A Vol 18 72–78
25. K. Karčiauskas On n-sided Rational Surface Patches *preprint*
26. K. Karčiauskas, Rational m-sided surface patches, in *Mathematics of Surfaces VIII* Information Geometers, Winchester, 1998, 355–368 (*)
27. K. Karčiauskas Algebraic version of convex combination patches in *Proceedings of a Conference of the Lithuanian Mathematical Society* 1999 (*)
28. K. Karčiauskas and Krasauskas, R. Comparison of Different Multi-sides Surface Patches using Algebraic Geometry *Proceedings of this conference* (*)
29. K. Kato Generation of n-sided surface patches with holes ‘Computer Aided Design Vol 23 No 10 1991 676–683
30. K. Kato N-Sided Surface Generation from Arbitrary Boundary Edges *Proceedings of this conference* (*) 676–683
31. Adi Levin Combined subdivision schemes for the design of surfaces satisfying boundary conditions *Comput. Aided Geom. Design* Vol 16 1999 (*) 345–354
32. Adi Levin Filling N-sided holes by combined subdivision schemes *Proceedings of this conference* (*)
33. S. K. Lodha Filling N-sided holes, in *Modeling in Computer Graphics: Methods and Applications* Springer Verlag, 1993, 319–346 (*)
34. C. Loop and T. D. DeRose Generalized B-spline Surfaces of Arbitrary Topological Type *SIGGRAPH 1990*
35. C. Loop Generalized B-spline Surfaces of Arbitrary Topological Type *Ph.D. Thesis, University of Washington, 1992*
36. C. Loop Smooth Spline Surfaces over Irregular Meshes *SIGGRAPH Proceedings, 1994* 303–310
37. C. Loop A G^1 triangular spline surface of arbitrary topological type *Comput. Aided Geom. Design* Vol 11 1994 303–330
38. P. Malraison, A Bibliography for n-sided surfaces, in *Mathematics of Surfaces VIII* Information Geometers, Winchester, 1998, 419–430 (*)
39. E. E. Moise *Geometric Topology in Dimensions 2 and 3* Springer Verlag 1997 161 Theorem 4
40. A. Nasri Polyhedral Subdivision Methods For Free-Form Surfaces *ACM Transactions on Graphics, Vol 1* 1987 29–73
41. A. Nasri Boundary Corner control of Recursive Subdivision Surfaces ‘Computer Aided Design Vol 23 1991 405–411
42. A. Nasri Interpolation On Irregular Networks With Normal Conditions *Comput. Aided Geom. Design* Vol 8 1991 89–96

43. A. Nasri Curve interpolation in recursively generated b-spline surfaces over arbitrary topology *Comput. Aided Geom. Design* Vol 14 1997 13–30
44. A. Nasri Interpolation of Open Curves by Recursive Subdivision Surfaces in *The Mathematics of Surfaces VII* Information Geometers 1997, 173–188
45. J. A. Peters Joining smooth patches at a vertex to form a C^k surface *Comput. Aided Geom. Design* Vol 9 1992 387–411
46. J. A. Peters Smooth free-form surfaces over irregular meshes generalizing quadratic splines *Comput. Aided Geom. Design* Vol 10 1993 347–361
47. J. A. Peters Constructing C^1 Surfaces of Arbitrary Topology Using Biquadratic and Bicubic Splines in *Designing Fair Curves and Surfaces* SIAM 1994 277–294
48. J. A. Peters Biquartic C^1 spline surfaces over irregular meshes *Computer Aided Design* Vol 27 1995 895–903.
49. J. A. Peters Spline surfaces from irregular control meshes *Zeitschrift für Angewandte Mathematik und Mechanik* Vol 11 1996 69–72
50. J. A. Peters Curvature continuous spline surfaces over irregular meshes *Comput. Aided Geom. Design* Vol 13 1996 101–131
51. J. A. Peters Mesh and Surface Hierarchies *Proceedings of this conference* (*)
52. G. Renner Polynomial n-sided patches in *Curves and Surfaces* Academic Press 1991 407–410
53. M. Sabin Non-Rectangular Surface patches suitable for inclusion in a B-spline Surface in *Proceedings Eurographics83* North Holland 1983 57–70
54. M. Sabin A Symmetric Domain for a 6-sided patch in *Mathematics of Surfaces IV* Clarendon 1994 185–194
55. M. Sabin Transfinite Surface Interpolation in *Mathematics of Surfaces VI* Clarendon 1996 517–534
56. M. Sabin Two-sided Patches Suitable for Inclusion in a B-Spline Surface in *Mathematical Methods for Curves and Surfaces II: Lillehammer* Vanderbilt University 1998 409–416
57. T. W. Sederberg, J. Zheng, D. Sewell, M. Sabin Non-Uniform Recursive Subdivision Surfaces *SIGGRAPH98*
58. J. Sone, K. Konno, H. Chiyokura, Surface Interpolation Using NURBS Boundary Gregory Patch for Non-four-sided Area *The Journal of the Information Processing Society of Japan*. Vol. 40 No. 2 February 1999 710–718(*) *in japanese*
59. J. Sone, K. Konno, H. Chiyokura, Surface Interpolation of Non-four-sided and Concave Area by NURBS Boundary Gregory Patch *Proceedings of this conference* (*)
60. T. Varady and C. M. Hoffmann Vertex Blending: Problems and Solutions in *Mathematical Methods for Curves and Surfaces II: Lillehammer* Vanderbilt University 1998 501–527

61. T. Varady and A. P. Rockwood Geometric Construction for Setback Vertex Blends Computer Aided Design Vol 29 1997 413–425
62. T. Varady and T. Hermann Best Fit Surface Curvature at Vertices of Topologically Irregular Curve Networks in *Mathematics of Surfaces VI* Clarendon 1996 411–428
63. T. Varady and A. P. Rockwood Vertex Blending Based on the Setback Split in *Mathematical Methods for Curves and Surfaces* Vanderbilt University 1995 527–542
64. T. Varady Overlap patches: a new scheme for interpolating curve networks with n-sided regions Comput. Aided Geom. Design Vol 8 1989 7–27
65. T. Varady Survey and New Results in n-sided Patch Generation in *Mathematics of Surfaces II* Oxford 1987 203–236
66. J. Vida, R. R. Martin and T. Varady A survey of blending methods that use parametric surfaces Computer Aided Design Vol 26, no. 5 1994. 341–365 (*)
67. J. Wallner and H. Pottmann Spline Orbifolds in *Curves and Surfaces with Applications in CAGD* Vanderbilt University 1997 445–464
68. X. Wang, F. Cheng and B. A. Barsky Blending, Smoothing, and Interpolation of Irregular Mesh Using n-Sided Varady Surfaces *preprint* 1997
69. X. Wang and F. Cheng Smooth Surface Interpolation of Irregular Meshes in Proc. 1997 International Conference on Manufacturing Automation (ICMA '97) Hong Kong 1997 1213–1218.
70. J. Warren Creating Multisided rational Bezier surfaces using base points *ACM Transactions on Graphics, Vol. 11(2)* 1992 127–139
71. J. Warren Multi-sided Rational Surface Patches with Independent Boundary Control in *Design and Application of Curves and Surfaces: Mathematics of Surfaces V* Oxford Univ. 1994 281–294
72. Y. Zhao and A. Rockwood A Convolution Approach to n-Sided Patches and Vertex Blending in *Designing Fair Curves and Surfaces* SIAM 1994 295–314
73. J. J. Zheng and A. A. Ball Control point surfaces over non-four-sided areas Comput. Aided Geom. Design Vol 14 1997 808–821
74. J. Zhou and J. A. Gregory Filling polygonal holes with bicubic patches Comput. Aided Geom. Design Vol 11 1994 391–410
75. J. Zhou and V. K. H. Lau An arbitrary rectangular patch network scheme for free-form surfaces in *Mathematics of Surfaces VI* Oxford 1996 397–410
76. J. Zhou and V. K. H. Lau Constructing GC^k continuous surfaces using bi-polynomial patches for a polygonal hole problem in *Mathematics of Surfaces VII* Information Geometers 1997 69–83
77. S. Zube The N-Sided Toric Patches and A-resultants *Preprint No. 11-99 Johannes Guteneberg Universitat Mainz* (*)

78. S. Zube N-Sided Toric Patches and A-resultants *Proceedings of this conference* (*)

Pierre Malraison
Spatial Technology
2425 55th Street, Suite 100
Boulder, CO 80301 USA
pierre_malraison@spatial.com